

第32回日本皮膚病理組織学会学術大会 診断投票結果

口演 1

- Drug eruption 13,  
うち erythema multiforme 1, Interface dermatitis 1, GVHD type 1  
Cutaneous reaction due to CCR4 3,  
うち Dysplastic epidermal hyperplasia 2, Adverse reaction 1
- Erythema multiforme 3
- PLEVA 1
- Vacuolar type interface dermatitis 1

口演 2

- Syringofibroadenoma 15, うち + amyloid 1
- Syringofibroadenoma with BCC 5
- Basal cell carcinoma 4, うち Pinkus type of BCC with syringofibroadenoma 2

口演 3

- Darier disease 5
- Hailey-Hailey disease 4
- Pemphigus 3, うち Pemphigus Vegetans 1, Neonatal pemphigus 1
- Grover's disease 4
- Epidermal nevus 5, うち Acantholytic (dyskeratotic) epidermal nevus 4,  
Linear epidermal nevus 1

口演 4

- Hydradenoma 13, うち Clear cell hidradenoma 12, Nodular hidradenoma 1
- Sebaceous adenoma 1
- Trichilemmoma 1
- Metastatic tumor 8, うち ~ renal carcinoma 6, ~ Clear cell carcinoma 2

口演 5

- Apocrine carcinoma 3, うち ～with pagetoid spreading 2
- Ectopic breast carcinoma(invasive ductal type)with pagetoid phenomenon 2
- Extramammary Paget's disease 12,  
うち Paget carcinoma 3, ～ with Apocrine adenoma 2,  
～ with Tubular adenoma 1, Invasive ～ 1, +Skin metastasis 1,  
With syringoma 1, with Microcystic Adnexal Carcinoma 1
- Syringomatous carcinoma 2, うち ～with paget phenomenon 1
- Tubular adenocarcinoma 1
- Tubular (apocrine) adenoma 2
- Syringoma 1

口演 6

- Dermatofibroma 10, うち Lipidized ～ 3, Hemosiderotic deep cellular ～ 2,  
Xanthomatous ～ 1, ～ Histiocytoid variant 1
- Fibrous histiocytoma 8, うち Atypical ～ 3, Malignant ～ 2, Aneurismal ～ 2
- Undifferentiated pleomorphic sarcoma 2
- Progressive nodular histiocytosis 1
- Squamous cell carcinoma 1
- Erythema elevatum diutinum 1

口演 7

- Neurofibroma 14, うち Plexiform ～ 3, Myxoid ～ 3
- Myxoma 3, うち Cutaneous myxoma 2, Nerve sheath myxoma 1
- Neurilemmoma 2
- Myxofibroma 1
- Superficial angiomyxoma 1
- Superficial fibromyxoma 1
- Focal mucinosis 1

口演 8

- Seborrheic keratosis 6, うち clonal type 2, Irritated ~ 1, with Bowenoid change 1, ~ with acantholytic dyskeratosis 1
- Hidracanthoma simplex 3, うち ~ with focal Bowenoid change 1
- Dysplastic hidradenoma with syringomatous change 2
- Apocrine poroma 1
- Intraepidermal epithelioma 1
- Eccrine porocarcinoma 4, うち ~ in situ 1
- Bowen's disease 3, うち Acantholytic variant 1, Pigmented 1
- Malignant hidradenoma simplex 2

口演 9

- Sebaceous carcinoma 10, うち Poorly differentiated ~ 1
- Merkel cell carcinoma 6
- Adenocarcinoma 3, うち Undifferentiated ~ 1
- Endocrine mucin-producing sweat gland carcinoma 1
- Large cell neuroendocrine carcinoma of the skin 1
- Poorly differentiated carcinoma 1
- malignant lymphoma 1

口演 10

- Squamous cell carcinoma 9, うち Keratoacanthomatous 4, Infundibulocystic 1, Infundibular 1 うち With sebaceous differentiation 4, With sebaceous carcinoma 2, With sebaceoma 1
- Keratoacanthoma 6, うち With sebaceous carcinoma 2, With sebaceoma 2, With sebaceous differentiation 1
- Sebaceous carcinoma 4
- Malignant Chondroid Syringoma 1
- Trichilemmal carcinoma 1
- Proliferating trichilemmal tumor 1

口演 11

- Squamous cell carcinoma 17, うち With melanocytic nevus 10,  
With melanocytic proliferation (colonization) 3
- Melanocarcinoma (collision tumor of SCC and malignant melanoma) 3
- Cutaneous squamomelanocytic tumor 2
- Malignant squamomelanocytic tumor 1

口演 12

- Digital papillary adenocarcinoma 7, うち Aggressive ~ 3
- Syringomatous carcinoma 4, うち Poorly differentiated 1
- Eccrine ductal carcinoma 2
- Eccrine porocarcinoma 2
- Eccrine sweat gland carcinoma 2
- Adenoid cystic carcinoma of eccrine gland 1
- Metastatic skin tumor (adenocarcinoma) 1
- spiradenocarcinoma 1
- Malignant chondroid syringoma 1
- Tubular carcinoma 1
- Polymorphous sweat gland tumor 1

口演 13

- Bowen's disease 7, うち Acantholytic variant of ~ 1
- Bowen's carcinoma 3,  
うち Microinvasive Bowen's carcinoma with folliculo-apocrine feature 2
- Squamous cell carcinoma 5, うち Acantholytic 2
- Porocarcinoma 3, うち ~ in situ 1
- acantholytic acanthoma 2
- Verrucous carcinoma 1
- Warty dyskeratoma 1
- Malignant melanoma 1

口演 14

- Squamous cell carcinoma 4, うち Arisen from seborrheic keratosis 1
- Bowen's carcinoma 2
- Malignant hidradenoma simplex 1
- Basosquamous cell carcinoma 1
- Seborrheic keratosis Squamous cell carcinoma 4
- In situ malignant trichilemmoma 2
- Nested Bowen's disease 1
- Seborrheic keratosis 3, うち Clonal type 1
- Peroepithelioma folliculare 1
- Inverted follicular keratosis 1
- Poroma 1

口演 15

- Neuroendocrine tumor (NET) 11
- Metastatic carcinoma (Sister Mary Joseph nodule) 5
- Adenocarcinoma 4,  
うち With neuroendocrine differentiation 2, Ductal eccrine ~ 1
- Merkel cell carcinoma 2
- Ewing sarcoma 1
- Desmoplastic small round cell tumor 1

口演 16

- Pilomatrical carcinoma (Malignant pilomatricoma, Matrical carcinoma) 13
- Pilomatricoma (Calcifying epithelioma) 7, うち Aggressive ~ 1
- pilomatricoma + pilomatrix carcinoma 1

口演 17

- Rhabdomyosarcoma 4, うち Alveolar ~ 1
- Leiomyosarcoma 3
- Desmoplastic small round cell tumor 2
- Malignant rhabdoid tumor 2
- Breast cancer 2
- Myoepithelial carcinoma (Malignant myoepithelioma) 2
- Invasive lobular carcinoma 1
- Neuroendocrine carcinoma 1
- Poorly differentiated synovial sarcoma 1
- Myofibroblastoma 1
- Adenocarcinoma with focal rhabdoid features 1
- Metastatic skin tumor 1
- Basal cell carcinoma 1

口演 18

- Mycosis fungoides 9
- T-cell lymphoma 2, うち NOS ~ 1
- Lymphomatoid papulosis 9, うち type B 4, type D 1
- Primary cutaneous CD30+ T-cell lymphoproliferative disorder 1
- Primary cutaneous CD4+ small/medium T-cell lymphoma 1

口演 19

- Blue nevus 11, うち melanophage infiltration in lymph node 1,  
~ and benign nevus cells in lymphnodes 1, With nevus cells in sentinel nodes 1
- Pigmented epithelioid melanocytoma 3
- Low grade malignant blue nevus with lymph node's metastasis 2
- Malignant blue nevus 4
- Malignant melanoma 3
- Spitz nevus 1

口演 20

- Malignant melanoma 12, うち Rhabdoid ~ 2, Spitzoid ~ 1
- Angiosarcoma 3, うち Epithelioid ~ 1
- Peripheral primitive neuroectodermal tumor 2
- Granular cell carcinoma 1
- Metastatic skin tumor 1
- Malignant peripheral nerve sheath tumor 1
- Epithelioid hemangioendothelioma 1

ポスター 1

- Panfolliculoma 12
- Cystic panfolliculoma 2
- Pilar sheeth acanthoma 2
- Trichoepithelioma 1
- Trichofolliculoma 1
- Inverted follicular keratosis 1

ポスター 2

- Syringocystadenoma papilliferum 12, うち With Tubular adenoma 6
- Hidradenoma papilliferum 3
- Tubular adenoma 2
- Cutaneous ciliated cyst 1

#### アドバイザー 1

- Keratoacanthoma 5, うち Generalized eruptive ~ 1, Proliferative stage 1,
- Early evolving lesion 1, Late stage 1
- Favre-Rachout syndrome (Nodular elastosis with cysts and comedones) 2
- Squamous cell carcinoma 2, うち Infundibulocystic ~ 1
- HPV related epidermal proliferation 1
- Kerato-acanthome pluri-kystique pseudosebace(Degos) 1
- Epidermal cyst 1
- Comedo 1
- Milia en plaque 1
- Micro cystic adnexal carcinoma 1
- Lymphoma 1
- Malignant melanoma 1

#### アドバイザー 2

- Hidradenocarcinoma 6, うち Apocrine ~ 1, Malignant clear cell hidradenoma 1
- Sebaceous carcinoma 3
- Apocrine carcinoma 2
- Malignant mixed tumor (folliculo-apocrine type) 2
- Mucinous carcinoma 1
- Endocrine mucin-producing sweat gland carcinoma 1
- Paget's carcinoma 1
- Seborrheic keratosis 1

#### アドバイザー 3

- Adult T-cell lymphoma 11
- Mycosis fungoides 3
- Drug eruption 3
- Erythema multiforme 1
- Superficial perivascular dermatitis with vacuoles 1
- Chronic eczema 1



#### International session 1

- Seborrheic keratosis 4, うち ~ with lichenoid reaction 1
- Inverted follicular keratosis 2
- SK-like tumor on nevus sebaceous(HPV related) 2
- Nevus sebaceous 1
- Pseudoepitheliomatous hyperplasia 1
- Lichenoid keratosis with verruca vulgaris 1
- Verrucous carcinoma 1
- Squamous cell carcinoma 1

#### International session 2

- Squamous cell carcinoma 8, うち Microinvasive ~ with follicular differentiation 2, Infundibulocystic ~ 1
- Pilar sheath acantoma 1
- Trichoadenoma 1
- Follicular cyst, isthmus type 1
- Favre-Racouchot disease 1
- Blastomycosis-like pyoderma 1
- Lichen planus like keratosis 1
- Keratoacanthoma 1
- Accessory mammary carcinoma 1

### International session 3

- CD30 lymphoproliferative disorder(lymphomatoid papulosis type-C borderline) 2
- Malignant lymphoma 1, うち with esinophilia 1
- Lymphomatoid papulosis 1
- Diffuse large B-cell lymphoma 1
- Anaplastic large cell lymphoma 1
- Hodgkin's disease 1
- Langerhans cell histiocytosis 2
- Angiolymphoid hyperplasia with eosinophilia 1
- Infectious granuloma 1
- Well's syndrome 1
- Squamous cell carcinoma 1
- Granular cell tumor 1

### International session 4

- Angiolymphoid hyperplasia with eosinophilia 6
- Kimura disease 4
- Pseudolymphoma 4
- Primary cutaneous CD30+ T-cell lymphoproliferative disorders 1
- Malignant lymphoma 1

### International session 5

- Leukemia cutis 5, うち Acute monocytic leukemia 1
- Histiocytoid Sweet disease 2
- Behcet disease 1
- Erythema migrans chronicum 1
- Erythema nodosum 1
- Weber-Christian disease 1
- Hemophagocytic syndrome 1
- Cytophagic histiocytic panniculitis 1
- Perivascular lymphohistiocytic infiltrate 1
- Interstitial granulomatous dermatitis 1

#### International session 6

- Granular annulare 9, うち Subcutaneous ~ 2, Deep and interstitial type ~ 2, Interstitial type ~ 2
- Interstitial granulomatous dermatitis 1
- Self-healing juvenile cutaneous mucinosis 1
- Rheumatic fever nodule 1
- Gianotti syndrome 1
- Mastocytosis 1
- Nodular fasciitis 1

#### International session 7

- Spitz's nevus 12
- Malignant melanoma 3
- Melanocytic nevus 1
- Cellular neurothekeoma 1"